

## Turret, Building&Retail Active Deterrence IP series, 5M camera with 2.8-12mm motorized lens



1099/542

### Product specification:

- Sensor: 1/2.7"
- Lens: motorized 2.8-12 mm
- Sensitivity: Colour 0.002lux @ F1.0(AGC ON); B/W 0 lux @ IR ON
- Full Colour
- VDECT video analysis with Face Detection (FD), Human&Vehicle Detection (PD&VD), Perimeter Intrusion Detection (PID), Line Crossing Detection (LCD), Cross Counting (CC), Stationary Object Detection (SOD), Heat Map (HM), Crowd Density Detection (CD), Queue Length Detection (QD), License Plate Detection (LPD), Rare Sound Detection (RSD)
- Video Compression: H264 / H265 / H264/H265+
- Encoding Resolution: Mainstream 5MP(2880x1620), 4MP(2592x1520), 3MP(2304x1296), 1080P(1920x1080), 720P(1280x720) Substream 720P(1280x720), VGA(640x480), QVGA(320x240) Mobilestream VGA(640x480), QVGA(320x240)
- 3D DNR - BLC
- WDR 120dB
- Active Deterrence function with blue and red LEDs
- IR LED lighting distance: 25m
- Visible LED lighting distance: 20m
- Integrated Web browser
- Onvif Profile - S/G/T Profile
- Built-in microphone and speaker
- SD Card slot up to 256GB
- Reset key
- Protection rating: IP67
- Power supply: 12Vdc, POE (802.3af)

## Description

Professional camera ideal for application in public places and environments requiring high definition images and intelligent video activities: shopping centres, supermarkets, schools, industries, banks and traffic control systems. Compared to starlight cameras, the Active Deterrence camera allows continuous colour video recording in low light conditions and provides a deterrent effect thanks to the LEDs and integrated sounder that can be activated in response to an event detected by the intelligent analysis algorithm.

## Logistic data

- Packaging quantity single: **1**
- EAN single: **8021156076215**
- Base: **0 mm**
- Height: **0 mm**
- Depth: **0 mm**